Revision: 06.01.2023

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.01.2023 Version number 1.20

## 1 Identification of the substance/mixture and of the company/undertaking

- Product identifier

- Trade name: PROTECT HWR-90 (DM)

- Article number: 2590/D

- Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture

Hydrophobing agent/ water repellent

Construction chemicals

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

Ha-Be Middle East FZE

SAIF Zone | P.O. Box 9583 | Sharjah - UAE

Phone: +971 6 557 28 30 | Fax +971 6 55728 60

office.uae@ha-be.com | www.ha-be.ae

- Further information obtainable from: office.uae@ha-be.com
- Emergency telephone number: +971 6 557 28 30 (UAE)

#### 2 Hazards identification

- Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

- Label elements
- GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

- Hazard pictograms



GHS07

- Signal word Warning
- Hazard statements

Causes skin irritation.

- Precautionary statements

Wash thoroughly after handling.

IF ON SKIN: Wash with plenty of water.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

## 3 Composition/information on ingredients

- Chemical characterisation: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

### according to 1907/2006/EC, Article 31

Printing date 06.01.2023 Version number 1.20 Revision: 06.01.2023

Trade name: PROTECT HWR-90 (DM)

(Contd. of page 1)		
- Dangerous components:		
2943-75-1	triethoxyoctylsilane Skin Irrit. 2, H315	25-50%
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)  ♦ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ♦ Skin Corr. 1C, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Sens. 1A, H317	≤2.5%

#### 4 First aid measures

- Description of first aid measures
- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

Take affected persons into fresh air and keep quiet.

- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing:

Rinse out mouth and then drink plenty of water.

Call a doctor immediately.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fire with alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

## according to 1907/2006/EC, Article 31

Printing date 06.01.2023 Version number 1.20 Revision: 06.01.2023

Trade name: PROTECT HWR-90 (DM)

See Section 13 for disposal information.

(Contd. of page 2)

## 7 Handling and storage

- Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

#### - Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### - Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

(Contd. of page 3)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.01.2023 Version number 1.20 Revision: 06.01.2023

Trade name: PROTECT HWR-90 (DM)

- Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

- Information on basic physical and chemical properties
- General Information

- Appearance:

Form: Fluid
Colour: White
- Odour: Characteristic
- Odour threshold: Not determined.

- **pH-value at 20 °C:** 7-9

- Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100  $^{\circ}\text{C}$ 

Flash point: Not applicable.
 Flammability (solid, gas): Not applicable.
 Decomposition temperature: Not determined.

- **Explosive properties:** Product does not present an explosion hazard.

- Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

- Vapour pressure:
Not determined.

- Density at 20 °C:
- Vapour density
- Evaporation rate
Not determined.
Not determined.

- Solubility in / Miscibility with

water: Partly miscible.- Partition coefficient: n-octanol/water: Not determined.

- Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

- **Other information** No further relevant information available.

#### 10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 06.01.2023 Version number 1.20 Revision: 06.01.2023

Trade name: PROTECT HWR-90 (DM)

- Hazardous decomposition products: Possible in traces.

(Contd. of page 4)

### 11 Toxicological information

- Information on toxicological effects
- Acute toxicity
- Primary irritant effect:
- Skin corrosion/irritation Irritant to skin and mucous membranes.
- Serious eye damage/irritation Irritating effect.
- Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

### 12 Ecological information

- Toxicity
- Aquatic toxicity: LC50 (96h) = 2,6 mg/L (Oncorhynchus mykiss) (ECHA)
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- Waste treatment methods
- Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleaning agents.

#### 14 Transport information

- UN-Number

- ADR, IMDG, IATA Void

- UN proper shipping name

- **ADR** 3082 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (triethoxyoctylsilane)

Void

- IMDG, IATA Void

(Contd. on page 6)

### according to 1907/2006/EC, Article 31

Printing date 06.01.2023 Version number 1.20 Revision: 06.01.2023

Trade name: PROTECT HWR-90 (DM)

- Transport hazard class(es)

(Contd. of page 5)

- ADR, ADN, IMDG, IATA

- Class Void

- Packing group

- ADR, IMDG, IATA Void

- Environmental hazards:

- Marine pollutant: No

- Special precautions for user Not applicable.

- Transport in bulk according to Annex II of Marpol

and the IBC Code Not applicable.

Not dangerous according to the above specifications. - Transport/Additional information:

- UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (TRIETHOXYOCTYLSILANE), 9, III

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

- Hazard pictograms



- Signal word Warning
- Hazard statements

Causes skin irritation.

- Precautionary statements

Wash thoroughly after handling.

IF ON SKIN: Wash with plenty of water.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

The above information describes exclusively the safety requirements of the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. Properties of the product are to be found in the respective product leaflet.

#### - Relevant phrases

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 06.01.2023 Version number 1.20 Revision: 06.01.2023

Trade name: PROTECT HWR-90 (DM)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

## - Abbreviations and acronyms:

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

(Contd. of page 6)