Printing date 01.08.2019

Version number 2.01

Revision: 01.08.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier

- Trade name: MISCHER-SCHUTZ

- Article number: 1205
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Construction chemicals
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Ha-Be Betonchemie GmbH Stuevestrasse 39 31785 HAMELN, GERMANY
- Further information obtainable from: info@ha-be.com
- 1.4 Emergency telephone number:
- 0049 5151 587-0

Only available during office hours.

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



- Signal word Danger
- Hazard-determining components of labelling: Distillates (petroleum), hydrotreated light naphthenic Distillates (petroleum), hydrotreated heavy paraffinic
- Hazard statements H304 May be fatal if swallowed and enters airways.
- Propoutionary of tomonto
- Precautionary statements
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P331 Do NOT induce vomiting.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

(Contd. on page 2)

GB

Printing date 01.08.2019

Version number 2.01

Revision: 01.08.2019

Trade name: MISCHER-SCHUTZ

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

- Dangerous components:

| CAS: 64742-53-6 Distillates (petroleum), hydrotreated light naphthenic | 50-100% | |
|---|---------|--|
| EINECS: 265-156-6 🚯 Asp. Tox. 1, H304 | | |
| CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic | 2.5-10% | |
| EINECS: 265-157-1 🐼 Asp. Tox. 1, H304 | | |
| - Additional information: For the wording of the listed hazard phrases refer to section 16. | | |

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- After inhalation:

Supply fresh air; consult doctor in case of complaints.

Take affected persons into fresh air and keep quiet.

- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Administer medicinal carbon.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fire with alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Avoid the formation of oil haze. Use only in well ventilated areas.

Store in cool, dry place in tightly closed receptacles.

(Contd. on page 3)

⁻ GB -

Printing date 01.08.2019

Version number 2.01

Revision: 01.08.2019

(Contd. of page 2)

Trade name: MISCHER-SCHUTZ

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: None.
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Avoid close or long term contact with the skin. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Goggles recommended during refilling
- Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:
- Form: Colour:
- Odour:
- Odour threshold:
- pH-value:
- Change in condition Melting point/freezing point:
- Undetermined.

Mineral-oil-like

Not determined.

Not determined.

Fluid Light yellow

(Contd. on page 4)

⁻ GB -

Printing date 01.08.2019

Version number 2.01

Revision: 01.08.2019

Trade name: MISCHER-SCHUTZ

| Initial boiling point and boiling range: Undetermined Flash point:140 °C Not applicable Flammability (solid, gas):Not applicable Decomposition temperature:Not determined Explosive properties:Product does not present an explosion hazard Explosion limits:Lower:Lower:Not determined.Upper:Not determined Vapour pressure:Not determined Density at 20 °C:0.88 g/cm³- Vapour densityNot determined Evaporation rateNot determined Solubility in / Miscibility with water:Partly miscible Partition coefficient: n-octanol/water:Not determined Viscosity: Dynamic: Kinematic at 20 °C:Not determined.19 s (DIN 53211/4)19 s (DIN 53211/4) | | | (Contd. of page 3) |
|--|---|---|--------------------|
| • Flammability (solid, gas): Not applicable. • Decomposition temperature: Not determined. • Explosive properties: Product does not present an explosion hazard. • Explosion limits: Image: Composition temperature: Lower: Not determined. Upper: Not determined. • Vapour pressure: Not determined. • Vapour density Not determined. • Vapour density Not determined. • Solubility in / Miscibility with water: Partly miscible. • Partition coefficient: n-octanol/water: Not determined. • Viscosity: Dynamic: Dynamic: Not determined. • Viscosity: Dynamic: 0 or C: 19 s (DIN 53211/4) | initial boiling point and boiling range | : Undetermined. | |
| Decomposition temperature: Not determined. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Density at 20 °C: 0.88 g/cm³ Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Partly miscible. Partition coefficient: n-octanol/water: Not determined. Viscosity: Dynamic: Not determined. Yiscosity: Not determined. | - Flash point: | | |
| - Explosive properties: Product does not present an explosion hazard. - Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. - Vapour pressure: Not determined. - Density at 20 °C: 0.88 g/cm³ - Vapour density Not determined. - Evaporation rate Not determined. - Solubility in / Miscibility with water: Partly miscible. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Not determined. - Viscosity: Not determined. - Viscosity: Not determined. - Jonamic: Not determined. - Viscosity: Not determined. - Jonamic: Not determined. | - Flammability (solid, gas): | Not applicable. | |
| Explosion limits: Lower: Not determined. Vapour pressure: Not determined. Vapour pressure: Not determined. Vapour pressure: | - Decomposition temperature: | Not determined. | |
| Lower: Upper:Not determined Vapour pressure:Not determined Density at 20 °C:0.88 g/cm³- Vapour densityNot determined Vapour densityNot determined Evaporation rateNot determined Solubility in / Miscibility with water:Partly miscible Partition coefficient: n-octanol/water:Not determined Viscosity: Dynamic: Kinematic at 20 °C:Not determined.19 s (DIN 53211/4)19 s (DIN 53211/4) | - Explosive properties: | Product does not present an explosion hazard. | |
| Density at 20 °C: Vapour density Vaporation rate Solubility in / Miscibility with water: Partily miscible. Partition coefficient: n-octanol/water: Viscosity: Dynamic: Kinematic at 20 °C: Not determined. 0.88 g/cm³ Not determined. Not determined. | Lower: | | |
| - Vapour density Not determined. - Evaporation rate Not determined. - Solubility in / Miscibility with water: Partly miscible. - Partition coefficient: n-octanol/water: Partly miscible. - Viscosity: Not determined. Dynamic: Not determined. Kinematic at 20 °C: 19 s (DIN 53211/4) | - Vapour pressure: | Not determined. | |
| water: Partly miscible. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Not determined. Dynamic: Not determined. Kinematic at 20 °C: 19 s (DIN 53211/4) | - Vapour density | Not determined. | |
| - Viscosity: Dynamic: Not determined. Kinematic at 20 °C: 19 s (DIN 53211/4) | | Partly miscible. | |
| Dynamic:Not determined.Kinematic at 20 °C:19 s (DIN 53211/4) | - Partition coefficient: n-octanol/water: | Not determined. | |
| - 9.2 Other information No further relevant information available. | Dynamic: | | |

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: Possible in traces.
- **SECTION 11: Toxicological information**
- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard
- May be fatal if swallowed and enters airways.

(Contd. on page 5)

GR

Printing date 01.08.2019

Version number 2.01

Revision: 01.08.2019

Trade name: MISCHER-SCHUTZ

(Contd. of page 4)

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

- General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation

When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

Delivery of waste oil to offically authorised collectors only.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:

- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

| - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name | Void | |
|---|--|--|
| - ADR, IMDG, IATA - 14.3 Transport hazard class(es) | Void | |
| - ADR, IMDG, IATA | | |
| - Class | Void | |
| - 14.4 Packing group | | |
| - ADR, IMDG, IATA | Void | |
| - 14.5 Environmental hazards: | | |
| - Marine pollutant: | No | |
| - 14.6 Special precautions for user | Not applicable. | |
| - 14.7 Transport in bulk according to Annex II of | | |
| Marpol and the IBC Code | Not applicable. | |
| - Transport/Additional information: | Not dangerous according to the above specifications. | |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I None of the ingredients is listed.

Printing date 01.08.2019

Version number 2.01

Revision: 01.08.2019

Trade name: MISCHER-SCHUTZ

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The above information describes exclusively the safety requirements of the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. Properties of the product are to be found in the respective product leaflet.

- Relevant phrases

H304 May be fatal if swallowed and enters airways.

- Abbreviations and acronyms:

Asp. Tox. 1: Aspiration hazard - Category 1

(Contd. of page 5)

GB