according to 1907/2006/EC, Article 31

Printing date 24.03.2021 Version number 1.00 Revision: 24.03.2021

# 1 Identification of the substance/mixture and of the company/undertaking

- Product identifier

- Trade name: ANTIPOR® 218 TG

- Article number: 2219/D

- Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Construction chemicals

- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Ha-Be Middle East FZE

SAIF Zone | P.O. Box 9583 | Sharjah - UAE Phone: +971 6 557 28 30 | Fax +971 6 55728 60

office.uae@ha-be.com | www.ha-be.ae

Ha-Be Middle East Oman LLC

P.O. Box 32 | Postal Code 118 | Muscat - Sultanate of Oman

Phone: +968 24 582 842

office.oman@ha-be.com | www.om.ha-be.com

- Further information obtainable from:

office.oman@ha-be.com office.uae@ha-be.com

- Emergency telephone number:

+968 24 582 842 (Oman)

+971 6 557 28 30 (UAE)

#### 2 Hazards identification

- Classification of the substance or mixture



Skin Sens. 1 H317 May cause an allergic skin reaction.

- Label elements
- GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

- Hazard pictograms



GHS07

- Signal word Warning
- Hazard-determining components of labelling:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

- Hazard statements

May cause an allergic skin reaction.

- Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 24.03.2021 Version number 1.00 Revision: 24.03.2021

Trade name: ANTIPOR® 218 TG

(Contd. of page 1)

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

#### 3 Composition/information on ingredients

- Chemical characterisation: Mixtures
- Description:

modified polycarboxylates in aqueous solution

Mixture of substances listed below with nonhazardous additions.

- Dangerous components:		
	triisobutyl phosphate	≤2.5%
	💠 Skin Sens. 1, H317; Aquatic Chronic 3, H412	
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	≤2.5%

#### 4 First aid measures

- Description of first aid measures
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

Take affected persons into fresh air and keep quiet.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fire with alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

### according to 1907/2006/EC, Article 31

Printing date 24.03.2021 Version number 1.00 Revision: 24.03.2021

Trade name: ANTIPOR® 218 TG

(Contd. of page 2)

- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- Reference to other sections No dangerous substances are released.

#### 7 Handling and storage

- Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 24.03.2021 Version number 1.00 Revision: 24.03.2021

Trade name: ANTIPOR® 218 TG

- Eye protection: Goggles recommended during refilling

(Contd. of page 3)

#### 9 Physical and chemical properties

- Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Fluid

Colour: Amber coloured
- Odour: Characteristic
- Odour threshold: Not determined.

- pH-value at 20 °C: 3-5

- Change in condition

**Melting point/freezing point:** Undetermined. **Initial boiling point and boiling range:** >100 °C

Flash point: Not applicable.
 Flammability (solid, gas): Not applicable.
 Decomposition temperature: Not determined.

- **Explosive properties:** Product does not present an explosion hazard.

- Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

- Vapour pressure:
Not determined.

- Density at 20 °C:
- Vapour density
- Evaporation rate
Not determined.
Not determined.

- Solubility in / Miscibility with

water: Partly miscible.- Partition coefficient: n-octanol/water: Not determined.

- Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

- Solvent separation test:

Organic solvents: 0.0 %

- **Other information** No further relevant information available.

#### 10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: Possible in traces.

ΑE

according to 1907/2006/EC, Article 31

Printing date 24.03.2021 Version number 1.00 Revision: 24.03.2021

Trade name: ANTIPOR® 218 TG

(Contd. of page 4)

### 11 Toxicological information

- Information on toxicological effects
- Acute toxicity
- Primary irritant effect:
- Skin corrosion/irritation No irritant effect.
- Serious eye damage/irritation No irritating effect.
- Respiratory or skin sensitisation Sensitisation possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

### 12 Ecological information

- Toxicity
- Aquatic toxicity: LC50 (96h) = 2,6 mg/L (Oncorhynchus mykiss) (ECHA)
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- Waste treatment methods
- Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Packaging may be reused or recycled after cleaning.
- Recommended cleansing agents: Water, if necessary together with cleaning agents.

#### 14 Transport information

- UN-Number
- ADR, ADN, IMDG, IATA Void
- UN proper shipping name
- ADR Void Void
- ADN, IMDG, IATA Void
- Transport hazard class(es)
- ADR, ADN, IMDG, IATA
- Class Void

(Contd. on page 6)

### according to 1907/2006/EC, Article 31

Printing date 24.03.2021 Version number 1.00 Revision: 24.03.2021

Trade name: ANTIPOR® 218 TG

(Contd. of page 5)

- Packing group

- ADR, IMDG, IATA

Void

- Environmental hazards:

Not applicable. Not applicable.

- Special precautions for user

- Transport in bulk according to Annex II of Marpol

and the IBC Code

Not applicable.

- Transport/Additional information: Not dangerous according to the above specifications.

- UN "Model Regulation": Void

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

- Hazard pictograms



- Signal word Warning
- Hazard-determining components of labelling:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3one [EC no. 220-239-6] (3:1)

- Hazard statements

May cause an allergic skin reaction.

- Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

The above information describes exclusively the safety requirements of the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. Properties of the product are to be found in the respective product leaflet.

#### - Relevant phrases

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 24.03.2021 Version number 1.00 Revision: 24.03.2021

Trade name: ANTIPOR® 218 TG

H412 Harmful to aquatic life with long lasting effects.

# - Abbreviations and acronyms:

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 (Contd. of page 6)